Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	"6199179".pn. and ((secondary adj2 (processor or cpu)) with (operat\$3 adj2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:59
L4	. 1	"6199179".pn. and ((secondary adj2 (processor or cpu)) same (operat\$3 adj2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:13
L5	1	((secondary adj2 (processor or cpu)) same (operat\$3 adj2 system))same ((translat\$3 or traduc\$3) near5 (routine or language or application or program\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:15
L6	1	((secondary adj2 (processor or cpu)) same (operat\$3 adj2 system))same ((translat\$3 or traduc\$3) near5 (routine or language or application or program\$4 or instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:17
L7	1	((secondary adj2 (processor or cpu)) same (operat\$3 adj2 system))same ((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:24
L8	1687	(((processor or cpu)) same (operat\$3 adj2 system))same ((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:18
L9	894	(((processor or cpu)) with (operat\$3 adj2 system))same ((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:18

L10	371	(((processor or cpu)) with (operat\$3 adj2 system))with ((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/11/05 15:18
L12	11	(((processor or cpu)) with (operat\$3 adj2 system))with ((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command)) and (secondary near5 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:19
L13	98101	((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:25
L14	27	((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command)) with (secondary near5 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:25
L15	3	((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command)) with (secondary near5 (processor or cpu)) same ((operating near5 system) or "OS")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:36
L16	3	((translat\$3 or traduc\$3) with (routine or language or application or program\$4 or instruction or command)) with (secondary near5 (processor or cpu)) same ((operating near5 system) or "OS" or "DOS")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:35
L22	7	((translat\$3 or traduc\$3 or modif\$4 or chang\$3) with (routine or language or application or program\$4 or instruction or command)) with (secondary near5 (processor or cpu)) with ((operating near5 system) or "OS")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:59

L23	. 8	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) with (routine or language or application or program\$4 or instruction or command)) with (secondary near5 (processor or cpu)) with ((operating near5 system) or "OS")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:59
L24	327	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 secondary near5 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:00
L25	149	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 (secondary adj3 (processor or cpu)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:00
L26	1	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 (secondary adj3 (processor or cpu))) with ("OS" or (operat\$3 adj3 sytem))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:05
L27	39	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 (second\$3 adj3 (processor or cpu))) with ("OS" or (operat\$3 adj3 sytem))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:06
L28	40	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 ((second\$3 or backup) adj3 (processor or cpu))) with ("OS" or (operat\$3 adj3 sytem))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:06
L29	74	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 (second\$3 adj3 (processor or cpu))) with ("OS" or (operat\$3 adj3 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:07

L30	13	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 (second\$3 adj3 (processor or cpu))) with ("OS" or (operat\$3 adj3 system)) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:08
L31	17	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 (second\$3 adj3 (processor or cpu))) with ("OS" or (operat\$3 adj3 system)) with (instruction or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:15
L32	10	((translat\$3 or traduc\$3 or modif\$4 or chang\$3 or convert\$3) near5 (second\$3 adj3 (processor or cpu))) with ((operat\$3 adj3 system)) with (instruction or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:33
L33	2	"7082610".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:43
L34	83311	((convert\$3 or translat\$3 or modif\$3) near5 (instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:44
L35	63371	((convert\$3 or translat\$3 or modif\$3) near3 (instruction or command))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:44
L36	82	((convert\$3 or translat\$3 or modif\$3) near3 (instruction or command)) near5 ((second\$3 or backup) adj2 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:45

				l _	1]
L37	1	((convert\$3 or translat\$3 or modif\$3) near3 (instruction or command)) near5 ((second\$3 or backup) adj2 (processor or cpu)) with (operat\$3 adj2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:46
L38	1	((convert\$3 or translat\$3 or modif\$3) near3 (instruction or command)) near5 ((second\$3 or backup) adj2 (processor or cpu)) same(operat\$3 adj2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:46
L39	3	((convert\$3 or translat\$3 or modif\$3) near3 (instruction or command or application or program)) near5 ((second\$3 or backup) adj2 (processor or cpu)) same(operat\$3 adj2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/05 16:57
L40	4317	((709/202) or (709/102) or (370/229) or (714/26) or (714/11)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/05 16:58
L41	0	I40 and I36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:58
L42	208	I40 and I35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:59
L45	276	IBM.asn. and I34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:59

			7	<u> </u>	1	1
L46	1	IBM.asn. and I25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/05 17:02
L47	1	(Michael and Norman and Day).inv. and I25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:02
L48	1	(Mark and Richard and Nutter).inv. and I25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:03
L49	1	(James and Michael and Stafford). inv. and I25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:04
L50	1	(Maximino and Aguilar).inv. and I25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:04
S1	79710	application near5 (manag\$5 or ((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:32
S2	25	application near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3 or (manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 15:53

S3	2	application near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 15:55
S4	12	application with (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON-	2007/11/01 16:02
S5	1	application with (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors) same (operating near3 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 15:56
S6	2	application near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:03
S7	2	(application or (software adj2 program)) near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:04
S8	157	(((application or (software adj2 program)) near5 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:05
S9	9	(((application or (software adj2 program)) near5 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors) same ((run\$4 or execut\$3 or operat\$3) near5 (operat\$3 adj3 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:06

S10		"6199179".pn. and (secondary adj2 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:09
S11	1	"6199179".pn. and ((secondary adj2 (processor or cpu)) with (operat\$3 adj2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:16
S12	1	"6199179".pn. and ((secondary adj2 (processor or cpu)) near5 (operat\$3 adj2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:59
S13	147111	(application or routine or program) near5 (manag\$5 or ((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:33
S14	4	(application or routine or program) near5 (manag\$5 or ((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3) with (multiple or several or plurality or many) adj2 processors) same ((secondary adj2 (processor or cpu)) with (operat\$3 adj2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/11/05 12:36
S15	20	(application or routine or program) near5 (manag\$5 or ((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3) with (multiple or several or plurality or many) adj2 processors) and ((secondary adj2 (processor or cpu)) with (operat\$3 adj2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:49

			_			
S16	1	(application or routine or program) near5 (manag\$5 or ((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3) with (multiple or several or plurality or many) adj2 processors) and (((secondary adj2 (processor or cpu) near5 (code or instruction or program)) with (operat\$3 adj2 system))same (translat\$3 or traduc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:49
S17	1	(application or routine or program) near5 (manag\$5 or ((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3) with (multiple or several or plurality or many) adj2 processors) and (((secondary adj2 (processor or cpu) near5 (code or instruction or program or step)) with (operat\$3 adj2 system))same (translat\$3 or traduc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:37
S18	75	((secondary adj2 (processor or cpu)) with (operat\$3 adj2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:49
S19	1	(((secondary adj2 (processor or cpu) near5 (code or instruction or program)) with (operat\$3 adj2 system))same (translat\$3 or traduc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:50
S20	. 1	(((secondary adj2 (processor or cpu) with(application or code or instruction or program)) with (operat\$3 adj2 system))same (translat\$3 or traduc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:50
S21	. 1	(((secondary adj2 (processor or cpu) with(application or code or instruction or program)) same (operat\$3 adj2 system))same (translat\$3 or traduc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:50

S22	2	(((secondary adj2 (processor or cpu) same(application or code or instruction or program)) same (operat\$3 adj2 system))same (translat\$3 or traduc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:51
S23		((secondary adj2 (processor or cpu)) same (operat\$3 adj2 system))same (translat\$3 or traduc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 12:52